Safety Data Sheet According to Regulation (EC) No 1907/2006

UltraPrint-Dental Temp C&B UV

Version 1.0

Issue date: 10/03/2022

Revision date: 10/03/2022 SDS Record Number: CSSS-TCO-010-22031001

Section 1 Identification of the substance/mixture and of the company/undertaking

occuon i identification of the subs	stance/inixture and of the company/undertaking			
1.1 Product identifier:				
Identification on the label/Trade name:	UltraPrint-Dental Temp C&B UV			
Additional identification:	Not available			
Identification of the product:	Not available			
Index Number:	Not available			
REACH pre-registration No.:	Not available			
1.2 Relevant identified uses of the sub	ostance and uses advised against:			
1.2.1 Identified uses: Fragrance Ingredient.				
1.2.2 Uses advised against:				
Not available.				
1.3 Details of the supplier of the safety	y data sheet:			
Supplier(Only representative):	Chemical Inspection & Regulation Service Limited			
Supplier(Manufacturer):	GUANGZHOU HEYGEARS IMC.INC			
Address:	Room 201-1, No. 25, Yayingshi Road, Huangpu District, Guangzhou City, China			
Contact person(E-mail):	mqu@heygears.com			
Telephone:	+86 020 32202686			
Fax:	+86 020 32202686			
1.4 Emergency telephone Number:				
+353 41 980 6916 (Only available durin	ng office hours (8:30a.m17:30p.m.)			
Available outside office hours?	YES NO X			

Section 2 Hazards Identification

2.1 Classification of the substance/mixture:

2.1.1 Classification:

The substance is classified as following according to 67/548/EEC and REGULATION (EC) No 1272/2008:

REGULATION (EC) No 1272/2008

· · · · · · · · · · · · · · · · · · ·		
Hazard classes/Hazard categorie	Hazard statement	
Skin Irrit. 2	H315	
Skin Sens. 1	H317	
Aquatic Chronic 1	H410	

For full text of H- phrases: see section

2.2

2.2 label elements:

Hazard Pictograms:





Signal Word(S): Warning

Hazard Statement: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement: P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P332 + P313: If skin irritation occurs: Get medical advice/attention.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P501: Dispose of contents/container in according with local regulation.

2.3 Other hazards:

Not applicable.

Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Pre-Registration No.	CAS No.	EC No.	Concentration
Acrylated aliphatic urethane	N/A	46742-95-6	N/A	40-60
Cyclic Trimethylopropane Formal Acrylate	N/A	66492-51-1	N/A	10-20
Acryloyl morpholine	N/A	5117-12-4	N/A	10-20
Urethane Dimentacrylate	N/A	72869-86-4	N/A	10-15

Section 4 First aid measures

4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

Product name: UltraPrint-Dental Temp C&B UV

Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 2 / 7

4.1.1 In case of inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

4.1.2 In case of skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

4.1.3 In case of eyes contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

4.1.4 In case of ingestion:

Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed:

Causes skin irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed:

Not available.

Section 5 Fire-Fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Carbon dioxide, dry chemical, foam.

Unsuitable extinguishing media: Do not use a direct water jet on burning material.

5.2 Special hazards arising from the

substance or mixture

5.3 Special fire fighting methods and

special protective actions for

fire-fighters:

combustion.

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers

Carbon monoxide and unidentified organic compounds may be formed during

exposed to fire.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel: Avoid inhalation and contact with skin and eyes. A self-contained breathing

apparatus is recommended in case of a major spill.

6.1.2 For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator if Vapor is generated.

6.2 Environmental Precautions: Keep away from drains, surface- and groundwater and soil.

6.3 Methods for Containment and Cleaning Clean up spillage promptly

up:

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use

of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

6.5 Additional information: Not applicable.

Section 7 Handling and storage

7.1 Precautions for safe handling:

Product name: UltraPrint-Dental Temp C&B UV
Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 3 / 7

Avoid excessive inhalation of concentrated vapors. Follow good manufacturing 7.1.1 Protective measures:

> practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use. Keep away from ignition sources and naked flame.

7.1.2 Advice on general occupational

hvaiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including

any incompatibilities:

Store in a cool, dry, ventilated area away from heat sources. Keep containers

upright and tightly closed when not in use.

7.3 Specific end use(s): Not applicable.

Section 8 Exposure Controls/Personal Protection

8.1 Control parameters:

8.1.1 Occupational exposure limits:

Not available.

8.1.2 Additional exposure limits under the

conditions of use:

Not available.

8.1.3 DNEL/DMEL and PNEC-Values:

Not available.

8.2 Exposure controls:

8.2.1Appropriate engineering controls: Where appropriate, use closed systems to transfer and process this material.

> If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest

of the plant.

8.2.2 Individual protection measures, such as personal protective equipment:

Eye/face protection: Use tight-fitting goggles, face shield or safety glasses with side shields if eye

contact might occur.

Hand protection: Use chemically resistant gloves.

Body protection: Wear suitable protective clothing to prevent skin exposure.

Respiratory protection: No respiratory protection is required during normal operations in a workplace. If

> engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate

> > SDS EU

filters should be used.

Wear suitable protective clothing to prevent heat. Thermal hazards:

8.2.3 Environmental exposure controls: Avoid discharge into the environment. According to local regulations, Federal and

official regulations.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance:

A1/A2/A3/A3.5/B1/B2/B3/Bleach Colour:

Odour: Fragrance like **Odour threshold:** Not available :Ha Not available < -20 °C Melting point/range (°C):

Boiling point/range (°C): 300.6 °C Flash point (°C): 138 °C

Not available **Evaporation rate:**

Product name: UltraPrint-Dental Temp C&B UV

Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 4/7 Flammability limit - lower (%):

Flammability (solid, gas):

Ignition temperature (°C):

Upper/lower flammability/explosive limits:

Vapour pressure:

Not available

Not available

Not available

Not available

Relative Density: $1.0-1.5g/cm3 (25^{\circ}C)$

Bulk density (kg/m³):

Water solubility:

Not available

Not available

Not available

Not available

Not available

Decomposition temperature:

Not available

Viscosity, dynamic (mPa.s): 2500-3000 (25°C)

Explosive properties:

Oxidising properties:

Molecular Formula:

Molecular Weight:

Not available

Not available

9.2. Other information:

Fat solubility(solvent- oil to be specified) Not available

etc:

Surface tension:

Dissociation constant in water(pKa):

Not available

Specific gravity:

Not available

Section 10 Stability and reactivity

10.1 Reactivity: The substance is stable under normal storage and handling conditions.

10.2 Chemical stability:Stable at room temperature in closed containers under normal storage and handling

conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: Incompatible materials. Direct sources of heat.

10.5 Incompatible materials: Strong acids, alkali or oxidizing agents.

10.6 Hazardous decomposition products: Carbon monoxide and unidentified organic compounds may be formed during

combustion.

Section 11 Toxicological information

11.1 Toxicokinetics, metabolism and distribution:

Non-human toxikological data: Not available

11.2 Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat): > 5000 mg/kg bw

LD50(Dermal, Rat): > 5000 mg/kg bw

LC50(Inhalation, Rat): Not available

Skin corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Not classified

Product name: UltraPrint-Dental Temp C&B UV

Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 5 / 7

SDS EU

Respiratory or skin sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity:

Carcinogenicity:

Not classified

Reproductive toxicity:

Not classified

STOT- single exposure:

Not classified

STOT-repeated exposure:

Not classified

Aspiration hazard: Not classified

Section 12 Ecological information

Toxicity:

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	1.3 mg/L	96h	Fish	OECD 203	N/A	N/A
EC50	1.38 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	> 2.6 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential: BCF=600Mobility in soil: Log Koc = 4.12

Results of PBT&vPvB assessment: The substance is not PBT / vPvB.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

Section 13 Disposal considerations

13.1 Waste treatment methods: Due to the high risk of contamination recycling/recovery is not recommended.

Waste disposal in accordance with regulations (most probably controlled

incineration).

13.2 Product / Packaging disposal: According to local regulations. Emptied container might retain product residues.

Follow all warnings even after the container is emptied.

Section 14 Transport information				
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)	
UN-Number	Not regulated	Not regulated	Not regulated	
UN Proper shipping name	Not regulated	Not regulated	Not regulated	
Transport hazard Class	Not regulated	Not regulated	Not regulated	
Packaging group	Not regulated	Not regulated	Not regulated	
Environmental hazards	No	No	No	
Special precautions for user	See section 2.2	See section 2.2	See section 2.2	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated	

Product name: UltraPrint-Dental Temp C&B UV
Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 6 / 7

Section 15 Regulation information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable. Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals.

Other National regulations: Not applicable

Chemical Safety Assessment has been carried out? YES NO Χ

Section 16 Other information

16.1 Indication of changes:

Version 1.0 Amended by EU No 2015/830

16.2 Training instructions:

Not applicable.

16.3 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

16.4 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: UltraPrint-Dental Temp C&B UV Version #: 1.0 Issue date: 10-03-2022 Revision date: 10-03-2022 7/7