# Safety Data Sheet According to Regulation (EC) No 1907/2006

UltraPrint-Dental Try-in UV

Version 1.0

Issue date: 02/03/2022

Revision date: 02/03/2022 SDS Record Number: CSSS-TCO-010-22030201

# Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Identification on the label/Trade name: UltraPrint-Dental Try-in UV

Not available Additional identification:

Identification of the product: Not available Not available Index Number: REACH pre-registration No.: Not available

#### 1.2 Relevant identified uses of the substance and uses advised against:

1.2.1 Identified uses:

Fragrance Ingredient.

## 1.2.2 Uses advised against:

Not available.

### 1.3 Details of the supplier of the safety data sheet:

Supplier(Only representative): Chemical Inspection & Regulation Service Limited

**GUANGZHOU HEYGEARS IMC.INC** Supplier(Manufacturer): Room 201-1, No. 25, Yayingshi Road, Address:

Huangpu District, Guangzhou City, China

Contact person(E-mail): mqu@heygears.com Telephone: +86 020 32202686 Fax: +86 020 32202686

## 1.4 Emergency telephone Number:

+353 41 980 6916 (Only available during office hours (8:30a.m.-17:30p.m.)

Available outside office hours? YES NO Х

### **Section 2 Hazards Identification**

#### 2.1 Classification of the substance/mixture:

#### 2.1.1 Classification:

The substance is classified as following according to 67/548/EEC and REGULATION (EC) No 1272/2008:

# **REGULATION (EC) No 1272/2008**

Hazard classes/Hazard categorie	Hazard statement
Skin Irrit. 2	H315
Skin Sens. 1	H317
Aquatic Chronic 1	H410

For full text of H- phrases: see section 2.2.

Product name: UltraPrint-Dental Try-in UV SDS EU Version #: 1.0 Issue date: 02-03-2022 Revision date: 02-03-2022 1/7

#### 2.2 label elements:

**Hazard Pictograms:** 





Signal Word(S): Warning

Hazard Statement: H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:** P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water. P332 + P313: If skin irritation occurs: Get medical advice/attention.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P501: Dispose of contents/container in according with local regulation.

#### 2.3 Other hazards:

Not applicable.

# Section 3 Composition/information on ingredients

Substance/Mixture: Mixture

Ingredient(s):

Chemical Name	Pre-Registration No.	CAS No.	EC No.	Concentration
Acrylated aliphatic urethane	N/A	618-449-1	N/A	30-55
Tris(2-hydroxy ethyl) isocyanuratetriacrylat e	N/A	40220-08-4	N/A	10-30
Acryloyl morpholine	N/A	5117-12-4	N/A	10-20

# Section 4 First aid measures

# 4.1 Description of first aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

### 4.1.1 In case of inhalation:

Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Product name: UltraPrint-Dental Try-in UV
Version #: 1.0 Issue date:02-03-2022 Revision date: 02-03-2022 2 / 7

#### 4.1.2 In case of skin contact:

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

#### 4.1.3 In case of eyes contact:

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

### 4.1.4 In case of ingestion:

Rinse mouth with water and obtain medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed:

Causes skin irritation. May cause an allergic skin reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Not available.

# Section 5 Fire-Fighting measures

5.1 Extinguishing media:

Suitable extinguishing media: Carbon dioxide, dry chemical, foam.

Unsuitable extinguishing media: Do not use a direct water jet on burning material.

5.2 Special hazards arising from the

substance or mixture

Carbon monoxide and unidentified organic compounds may be formed during

combustion.

5.3 Special fire fighting methods and

special protective actions for

fire-fighters:

Wear NIOSH approved self-contained breathing apparatus and full protective clothing when fighting fires involving chemicals. Use water spray to cool containers

exposed to fire.

## Section 6 Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

**6.1.1 For non-emergency personnel:** Avoid inhalation and contact with skin and eyes. A self-contained breathing

apparatus is recommended in case of a major spill.

**6.1.2 For emergency responders:** Wear an appropriate NIOSH/MSHA approved respirator if Vapor is generated.

**6.2 Environmental Precautions:** Keep away from drains, surface- and groundwater and soil.

6.3 Methods for Containment and Cleaning

up:

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use

of sand or inert powder and disposed of according to the local regulations.

**6.4 Reference to other sections:** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

**6.5 Additional information:** Not applicable.

## Section 7 Handling and storage

#### 7.1 Precautions for safe handling:

7.1.1 Protective measures: Avoid excessive inhalation of concentrated vapors. Follow good manufacturing

practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned

before re-use. Keep away from ignition sources and naked flame.

7.1.2 Advice on general occupational

hygiene:

Do not eat, drink and smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

Product name: UltraPrint-Dental Try-in UV
Version #: 1.0 Issue date:02-03-2022 Revision date: 02-03-2022 3 / 7

7.2 Conditions for safe storage, including

any incompatibilities:

Store in a cool, dry, ventilated area away from heat sources. Keep containers

upright and tightly closed when not in use.

7.3 Specific end use(s): Not applicable.

# Section 8 Exposure Controls/Personal Protection

8.1 Control parameters:

8.1.1 Occupational exposure limits: Not available. Not available.

8.1.2 Additional exposure limits under the

8.1.3 DNEL/DMEL and PNEC-Values:

conditions of use:

Not available.

8.2 Exposure controls:

8.2.1Appropriate engineering controls: Where appropriate, use closed systems to transfer and process this material.

> If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the

rest of the plant.

8.2.2 Individual protection measures, such as personal protective equipment:

Use tight-fitting goggles, face shield or safety glasses with side shields if eye Eye/face protection:

contact might occur.

Hand protection: Use chemically resistant gloves.

**Body protection:** Wear suitable protective clothing to prevent skin exposure.

Respiratory protection: No respiratory protection is required during normal operations in a workplace. If

> engineering controls and safe work practices are not sufficient, an approved, properly fitted respirator with organic vapor cartridges or canisters and particulate

filters should be used.

Thermal hazards: Wear suitable protective clothing to prevent heat.

Avoid discharge into the environment. According to local regulations, Federal and 8.2.3 Environmental exposure controls:

official regulations.

## Section 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

Liquid Appearance:

Colour: DP5/DY5/DR5 Odour: Fragrance like Odour threshold: Not available Not available pH: < -20 °C Melting point/range (°C):

Boiling point/range (°C): 290.4 °C Flash point (°C): 136 °C

Not available **Evaporation rate:** Flammability limit - lower (%): Not available Not available Flammability (solid, gas): Ignition temperature (°C): Not available Upper/lower flammability/explosive limits: Not available Not available Vapour pressure: Vapour density: Not available

Product name: UltraPrint-Dental Try-in UV SDS EU Version #: 1.0 Issue date:02-03-2022 Revision date: 02-03-2022 4/7 Relative Density: 1.0-1.5g/cm3 (25°C)

Bulk density (kg/m³):Not availableWater solubility:Not availablen-Octanol/Water (log Po/w):Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not available

**Viscosity, dynamic (mPa.s):** 3000-3500 (25℃)

Explosive properties:

Oxidising properties:

Not available

Molecular Formula:

Not available

Molecular Weight:

Not available

9.2. Other information:

Fat solubility(solvent- oil to be specified) Not available

etc:

Surface tension:

Dissociation constant in water( pKa):

Not available

Specific gravity:

Not available

# **Section 10 Stability and reactivity**

**10.1 Reactivity:**The substance is stable under normal storage and handling conditions.

10.2 Chemical stability: Stable at room temperature in closed containers under normal storage and handling

conditions.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known.

**10.4 Conditions to avoid:** Incompatible materials. Direct sources of heat.

**10.5 Incompatible materials:** Strong acids, alkali or oxidizing agents.

**10.6 Hazardous decomposition products:** Carbon monoxide and unidentified organic compounds may be formed during

combustion.

## **Section 11 Toxicological information**

### 11.1 Toxicokinetics, metabolism and distribution:

Non-human toxikological data: Not available

11.2 Information on toxicological effects:

Acute toxicity:

LD50(Oral, Rat):> 5000 mg/kg bwLD50(Dermal, Rat):> 5000 mg/kg bwLC50(Inhalation, Rat):Not available

**Skin corrosion/Irritation:** Causes skin irritation.

Serious eye damage/irritation: Not classified

**Respiratory or skin sensitization:** May cause an allergic skin reaction.

Germ cell mutagenicity:

Carcinogenicity:

Reproductive toxicity:

Not classified

Not classified

Not classified

STOT- single exposure:

Not classified

STOT-repeated exposure:

Not classified

Product name: UltraPrint-Dental Try-in UV

Version #: 1.0 Issue date:02-03-2022 Revision date: 02-03-2022 5 / 7

SDS EU

**Aspiration hazard:** Not classified

# **Section 12 Ecological information**

## **Toxicity:**

Acute t	oxicity	Time	Species	Method	Evaluation	Remarks
LC50	1.3 mg/L	96h	Fish	OECD 203	N/A	N/A
EC50	1.38 mg/L	48h	Daphnia	OECD 202	N/A	N/A
EC50	> 2.6 mg/L	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: Not readily biodegradable.

**Bioaccumulative potential:** BCF=600

**Mobility in soil:** Log Koc = 4.12

**Results of PBT&vPvB assessment:** The substance is not PBT / vPvB.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

# **Section 13 Disposal considerations**

**13.1 Waste treatment methods:** Due to the high risk of contamination recycling/recovery is not recommended.

Waste disposal in accordance with regulations (most probably controlled

incineration).

**13.2 Product / Packaging disposal:** According to local regulations. Emptied container might retain product residues.

Follow all warnings even after the container is emptied.

Section 14 Transport information					
	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)		
UN-Number	Not regulated	Not regulated	Not regulated		
UN Proper shipping name	Not regulated	Not regulated	Not regulated		
Transport hazard Class	Not regulated	Not regulated	Not regulated		
Packaging group	Not regulated	Not regulated	Not regulated		
Environmental hazards	No	No	No		
Special precautions for user	See section 2.2	See section 2.2	See section 2.2		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated		

# **Section 15 Regulation information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Relevant information regarding authorization: Not applicable.

Relevant information regarding restriction: Not applicable.

Other EU regulations: Employment restrictions concerning young person must be observed. For

use only by technically qualified individuals.

Other National regulations:	Not applicable		
Chemical Safety Assessment has been carried out?	YES	NO	Χ

## **Section 16 Other information**

# 16.1 Indication of changes:

Version 1.0 Amended by EU No 2015/830

## 16.2 Training instructions:

Not applicable.

### 16.3 Further information:

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

### 16.4 Notice to reader:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Product name: UltraPrint-Dental Try-in UV Issue date:02-03-2022 Revision date: 02-03-2022 Version #: 1.0 7/7